

TERREMOTO EN TAIWAN 06/02/2016.

Estudio de circuitos HF para Taiwan
Periodo de aplicación: 06/02-11/02/2016
Flujo solar estimado: 113 FOT y MFU expresado en MHz
(Sondeo/R de ea3eph)

DISTANCIA:

100 Km

UTC FOT MFU

00	8.7	10.3
02	9.4	11.1
04	9.7	11.4
06	9.4	11.1
08	8.7	10.3
10	4.5	5.2
12	3.7	4.4
14	3.4	3.9
16	2.9	3.4
18	3.4	3.9
20	3.7	4.4
22	4.5	5.2

300 Km

UTC FOT MFU

00	9.4	11.0
02	10.1	11.9
04	10.4	12.3
06	10.1	11.9
08	9.4	11.0
10	4.8	5.6
12	4.0	4.7
14	3.6	4.2
16	3.2	3.7
18	3.6	4.2
20	4.0	4.7
22	4.8	5.6

600 Km

UTC	FOT	MFU
00	10.3	12.1
02	11.1	13.1
04	11.5	13.5
06	11.1	13.1
08	10.3	12.1
10	5.3	6.2
12	4.4	5.2
14	4.0	4.7
16	3.5	4.1
18	4.0	4.7
20	4.4	5.2
22	5.3	6.2

1000 Km

UTC	FOT	MFU
00	11.6	13.7
02	12.5	14.7
04	12.9	15.2
06	12.5	14.7
08	11.6	13.7
10	5.9	7.0
12	5.0	5.9
14	4.5	5.3
16	3.9	4.6
18	4.5	5.3
20	5.0	5.9
22	5.9	7.0

1500 Km

UTC	FOT	MFU
00	13.6	16.0
02	14.6	17.2
04	15.1	17.7
06	14.6	17.2
08	13.6	16.0
10	6.9	8.2
12	5.8	6.8
14	5.2	6.1

16	4.6	5.4
18	5.2	6.1
20	5.8	6.8
22	6.9	8.2

3000 Km.

UTC	FOT	MFU
00	23.8	28.0
02	25.7	30.2
04	26.5	31.1
06	25.7	30.2
08	23.8	28.0
10	12.2	14.3
12	10.2	12.0
14	9.1	10.8
16	8.0	9.4
18	9.1	10.8
20	10.2	12.0
22	12.2	14.3

Saludos,
alonso.

PD:

Por encima de los 1500 Km es aconsejable no superar la FOT.